



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



Case Vehicle (A): 2000 Ford Type: Ranger, 4x2 pickup

Driver: 35-year-old male

CDC: 12-FREE-3

Vehicle (B): 1989 Toyota Type: Camry 4-door sedan Driver: N/A (parked car)

CDC: 99-0000-0

SITUATION

(Slide 1) Case vehicle (A) was traveling east in the eastbound lane of a straight section of a dry, asphalt, two-lane roadway, (slide 2) with a speed limit of 56 kph (35 mph). Vehicle (B) was parked, partially on the shoulder and partially in the roadway, with its emergency lights flashing in the same eastbound lane. The driver of case vehicle (A) reportedly was unable to see vehicle (B) stopped along the roadside because the angle of the sun caused a blinding glare. Case vehicle (A) struck the left rear corner of vehicle (B) with its right front.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 3) Damage to case vehicle (A) was moderate. The direct-damage length was 37 cm and began at the right-front bumper corner, resulting in a 28% vehicle overlap. The maximum crush to the bumper was 26 cm and occurred at the right-front bumper corner, above the bumper. The left wheelbase was extended 2 cm, and the right wheelbase was reduced 3 cm.

Using the WinSMASH accident-reconstruction program missing vehicle sub-routine, and (slides 4, 5, 6, 7) c-values for case vehicle (A), the following impact severity was calculated:

		Calculated Velocity Change - kph (mph)			
Vehicle	Variable	Total	Longitudinal	Latitudinal	
Case Vehicle (A)	EBS	13 (8)	-13 (-8)	0 (0)	

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

(Slides 8, 9, 10, 11, 12) The front bumper, right headlight assembly, the grille, the radiator, the right fender, and right-front wheel and strut were damaged. The hood was crushed, and the hood latch was damaged and released. Both hood hinges were damaged, but did not separate. The

rear edge of the hood was not elevated, and did not contact the windshield. All doors remained closed and operational.

Interior

(Slides 13, 14, 15, 16, 17, 18) This vehicle was equipped with both steering-wheel and passenger frontal-impact airbags, which deployed during the frontal impact. No damage was noted to the airbag or (slides 19, 20, 21, 22, 23, 24) to the module doors/flaps. (Slide 25) The steering-wheel rim was not deformed and there was no deformation of the steering-wheel spokes. No intrusions were noted.

(Slides 26, 27, 28, 29, 30, 31, 32, 33) No contact points were noted on the left roof siderail, left upper A-pillar, or left sunvisor. No damage was noted to the upper and mid instrument panels. (Slide 34) The driver contacted and damaged the rearview mirror, and the rearview mirror contacted and damaged the windshield. The far-right side of the driver knee bolster was damaged from contact by the driver's right knee. The left-front seat adjuster was found in a full-rear position and the seatback was in a slightly reclined position.

OCCUPANT INJURIES AND KINEMATICS

The 5-ft, 10-in, 165-lb, 35-year-old male driver (slide 35) was <u>not</u> wearing the available three-point belt, and (slide 36) the steering-wheel airbag deployed. (Slide 37) On impact, he moved forward and to the right, skipping past the airbag and into the rearview mirror. (Slides 38, 39) He sustained abrasions to his forehead, multiple small lacerations over the right temple, and a 5-cm laceration over the right ear, from contact with the rearview mirror, as indicated by the mirror being broken off its mounting plate, and a hair deposit. He sustained a muscle strain to the lumbar spine, from impact forces.

The following table and (slide 40) attached drawing summarize the injuries sustained by the driver.

Occupant: Driver Restraints: 3-point belt <u>not</u> worn; airbag deployed

Age: 35 years Stature: 178 cm (5 ft, 10 in)

Gender: Male

Mass: 75 kg (165 lb)

			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Abrasions, forehead	1	Rearview mirror		
Lacerations, multiple, small right temple	1	Rearview mirror		
Laceration, above 5-cm right ear	1	Rearview mirror		
Strain, lumbar spine	1		Impact forces	
Maximum A.I.S. Level	<u>1</u>			
Injury Severity Score	2			


Duplicate columns 1-8 Module G I Format 0 2 from the previous card. 9 10 11 12		GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION m m d d d y y y y y		ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE (0) NO (1) YES (9) UNKNOWN	<u>Q</u>
HOUR OF COLLISION	4	ROAD ALIGNMENT VERTICAL PLANE	
LOCATION STATE:		(1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN	34
STATE FIPS CODE	25 26	ROAD ALIGNMENT HORIZONTAL PLANE	
AREA (1) URBAN (2) RURAL (9) UNKNOWN	1 27	(1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER:	35
ENVIRONMENTAL CONDITIONS LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN	<u></u>	SURFACE COVERING (10) DRY (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN	36 37
ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE) (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN	2	(31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER: (99) UNKNOWN VISIBILITY LIMITATION	
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE . TYPE OF ROAD SURFACE	<u></u>	(FOR CASE VEHICLE) (0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE	5
(1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN	31	(6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	
ROAD DEFECTS (0) NO (1) YES (9) UNKNOWN	<u>Ø</u>	(0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	39

ENVIRONMENTAL CONDITIONS SPEED LIMIT (1) 5-46 kmh			GENERAL INFORMATION GI-2
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (8) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HAZV (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C	SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65	2.	WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT
	(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6 5 TO 22 (2) -5 TO -1 23 TO 31 (3) 0 TO 2 32 TO 36 (4) 3 TO 5 37 TO 41 (5) 6 TO 15 42 TO 59 (6) 16 TO 25 60 TO 77 (7) 26 TO 35 78 TO 95 (8) OVER 35 OVER 96 (9) UNKNOWN CROSSWIND (0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED	41 8 42 9 43	OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER:

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN	<u></u>	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY	
CASE VEHICLE ROLLOVER (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	<u>O</u>	(4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	<u>2</u>
(a) OINVINOAAIA		DRIVER IMPAIRMENT	
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN	<u>D</u>	DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	<u></u>
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN	50	DRIVER ALCOHOL BAC (CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	8 (
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	51	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	59
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u></u>	LIST IMPAIRMENTS MENTION	ED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u>53</u>	POST - CRASH DETAIL MANNER CASE VEHICLE LEFT SCENE (1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	2

ACCIDENT SCHEMATIC

ACCIDENT DESCRIPTION: Case vehicle (A) was traveling eastbound on a two- CASE VEHICLE (A): 2000 For Ranger	- 4x2 0
lane roadway. Vehicle (B) was parked partially in the roadway with OTHER VEHICLE (B): 1987 Toyota Camp	
its emergency lights flashing, in the east bound lane. The driver of THIRD VEHICLE (C): N/A	(Parked)
case vehicle (A) reportedly was mable to see vehicle (B) Stopped along the roadside because the	
angle of the sun caused a blinding glave. Case vehicle (A) struck the left year corner of vehicle (B)	
with its right front.	(1)
	NORTH
	1011111



OTHER VEHICLE OV-1
CARGO:
<u> </u>
K O O O O O O O
VEHICLE TYPE
PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR
(20) UNKNOWN PASSENGER VEHICLE BODY (24) SUB-MINI (25) MINI (26) SUB-COMPACT
(27) COMPACT (28) INTERMEDIATE (29) FULL
MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107°, E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107°,
E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER
TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)
(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK
(38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S) BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACTY) (44) STREETCAR (ON TRACKS) (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER) (99) UNKNOWN WHEELBASE (CTM) (999) UNKNOWN

Duplicate columns 1-8 from the previous card. Module O V Format 0 2 11 12

OTHER VEHICLE

OV-2

Wheelbase

ORIGINAL SPECIFICATIONS

Curb Weight

Rear Overhang

Front Overhang

Average Track Width

$$\frac{911}{463} \frac{1}{6} cm$$


Undeformed End Width (UEW)

Overall Length


Engine Displacement


Engine: # of Cylinders


VEHICLE DAMAGE



Not inspected







FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

Front-End Overlap (Percent) = DDL UEW

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW) **OAW**

Duplicate columns 1-8 from the previous card. Module V D Forma	t <u>0</u> <u>4</u> 12		VEHICLE DESCRIPTION	VD-1
MAKE: Ford			CARGO:	
MODEL: Ranger 4x2			5/11/d5.	
VIN LETYRL	\mathcal{D}	X 9.	YP	
MANUFAC/BODY CODE $\frac{121}{30}$	12	STOLE	N VEHICLE	25
MAKE/MODEL CODE 31	<u>2</u> <u>0</u>	(0) N (1) Y (8) N		8 62
MODEL YEAR $\frac{2}{39}$	<u> </u>		INKNOWN	
VEHICLE MASS (kg) $Q = 0$ 3 [2	48	BODY S	STRUCTURE	1
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) 49	3 0	(2) U (3) IN	ODY & FRAME NITIZED ITEGRAL-STUB FRAME ODY & PLATFORM FRAME	63
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)	56	(5) P. (7) O	E.G. VW BUG) ARTIALLY UNITIZED THER:	
TRAVELING SPEED (km/h) 9	<u>9</u>	(9) (1)	NKNOWN	
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP		TRANSI	MISSION	1
(997) SPEED NOT EXCESSIVE (BUT UNKNOWN (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	<i>(</i>)	(1) AU (2) M/	JTOMATIC ANUAL NKNOWN	64
VEHICLE TYPE		10047	ON 05 TRANSPORT	
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR)	<u>3</u> 2	SELECT	ON OF TRANSMISSION OR LEVER	7
(12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR)	60 61	(1) FL (2) CC	OOR DNSOLE	\sum_{65}
(13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON		(7) ОТ		
(16) CONVERTIBLE (18) OTHER PASS, VEH. :		(9) UN	KNOWN	
(19) PASSENGER VEHICLE, TYPE UNKNOWN				
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO)		STEERIN	NG	1
(22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN		(1) PO		1 1
(24) VAN, SMALL <i>(MINI)</i> (25) VAN, LARGE		(2) MA (9) UN	NUAL KNOWN	66
(29) MPV, TYPE UNKNOWN (30) MOTOR HOME				
TRUCK		BRAKES		
(31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED) (33) PICKUP TRUCK, LARGE		(1) PO		
(99) UNKNOWN		(2) MAI (9) UNI	NUAL KNOWN	67

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	2	WHEELBASE <i>(cm)</i> (999) Unknown
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 70	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	71	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY OUT- LINING NEW PERIMETER OF VEHICLE AND SHADING THE DAMAGED AREAS ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	<u></u>	FRONT OR REAR ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)

Duplicate columns 1-8 from the previous card.

Module V D Format 0 2

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

Wheelbase

Curb Weight

Overall Length

298 cm

Front Overhang

Rear Overhang

Undeformed End Width (UEW)

Average Track Width

 $\frac{1}{5} \frac{1}{16} \frac{1}{7} \frac{1}{16} cm$

Engine Displacement


 $\frac{\varphi}{\omega}$


Overall Width (OAW) 19 19 21

Engine: # of Cylinders

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS





FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

 $\frac{0}{35} \frac{3}{37} cm$

Front-End Overlap (Percent) = DDL UEW

28 %

Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u> OAW

Duplicate columns 1-8 Module D from the previous card.	Damage DA-1					
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC				
EVENT NUMBER	1 12					
IMPACT SPEED (km/h)	$\frac{999}{14}$	$\frac{9}{35} \frac{9}{36} \frac{9}{37}$				
ESTIMATED BY	$\frac{1}{7}$	1				
CRUSH (cm)	$ \underline{\cancel{\phi}}_{18} \underbrace{\cancel{\overleftarrow{a}}}_{19} \underbrace{\cancel{\overleftarrow{\phi}}}_{20} $	9 9 41				
CDC #1	12 FRE E 3	$\frac{9}{42} \frac{9}{42} \cdot \underline{\Phi} $				
CDC #2	$\frac{9}{28} \cdot \underline{0} \cdot \underline{0} \cdot \underline{0} \cdot \underline{0} \cdot \underline{0}$	$\frac{9}{49} \times \underline{0} = \underline{0} = \underline{0} = \underline{0}$				
Duplicate columns 1-8 Module D from the previous card. 9 10	A Format 0 3 11 12					
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC				
EVENT NUMBER	<u>2</u>					
IMPACT SPEED (km/h)	14 15 16	35 36 37				
ESTIMATED BY	17					
CRUSH (cm)	18 19 20	39 40 41				
CDC #1	21	42 - 48				
CDC #2	28	49 55				
Codes						
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH				
(8) NOT APPLICABLE (9) UNKNOWN	(2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN				
IMPACT SPEED	(4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM	CDC				
(998) NOT APPLICAE (999) UNKNOWN	SLE SPECIFY: (7) OTHER: (8) NOT APPLICABLE (NO VEHICLE/NO IMPACT)	(9800000) NOT APPLICABLE (9900000) UNKNOWN				

56

66

Module <u>D</u> <u>A</u> Format <u>0</u> <u>1</u> 12 Duplicate columns 1-8 DAMAGE DA-2 from the previous card. MAXIMUM SHEET METAL CRUSH (cm) (999) UNKNOWN **FRONT** RIGHT SIDE **REAR** LEFT SIDE **ROOF** OTHER CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE NOTE: IF CHRONOLOGICAL ORDER DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER? IS UNKNOWN, EVENT ORDER IS OPTIONAL. (0) NO (1) YES **EVENT** IMPACT LOCATION **IMPACT** OBJECT/VEHICLE CONTACTED NUMBER CONFIGURATION (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE FOR CODES, SEE TABLE FOR CODES, SEE TABLE (3) ON ROADSIDE ON PAGE DA-3. ON PAGE DA-4. (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN # 1 32 #2 37 #3 42 #4 47 51

#5

#6

#7

52

57

62

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDÉSWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
 (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

DAMAGE DA-4

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- (98) OTHER (DESCRIBE)
- (99)UNKNOWN

PASSENGER VEHICLE

- (02) LARGE
 - (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

SUB-MINI	< 2286 mm (< 90°)
MINI	2286 - 2412 mm (90° - 94.9°)
SUB-COMPACT	2413 - 2539 mm (95° - 99.9°)
COMPACT	2540 - 2666 mm (100° - 104.9°)
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL	2794 - 2920 mm (110" - 114.9")
LARGE	2921 - 3174 mm (115" - 124.9")
LIMOUSINE	> 3175 mm (> 125")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107", E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN)
- (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

BUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc
- (52) 76 125 cc
- (53) 126 250 cc (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL

- (90) GUARD RAIL, LEADING SECTION
 (91) GUARD RAIL, MIDDLE OR UNKNOWN
 (92) GUARD RAIL, TRAILING SECTION
 (93) GUARD POST (TIMBER, METAL, CONCRETE)
- (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN) (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8 Module C from the previous card.		SH RECONSTRU	CTION CR-1	
		PRIMARY IMPACT		SECONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
ΔV (km/h) TOTAL	$\frac{9}{14} \frac{9}{15} \frac{9}{16}$	$\frac{9}{32} \frac{9}{33} \frac{9}{34}$	48 49 50	66 67 68
LONGITUDINAL*	9999	999	51 54	69 72
LATERAL*	9999	9999		
NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76
EXAMPLES: 10 km/h = ± <u>Q 1 Q</u> -7 km/h = <u>: Q Q 7</u>				
ENERGY DISSIPATED BY CRUSH (kg)	$\frac{9}{25}$ $\frac{9}{9}$ $\frac{9}{28}$	9999	59 62	77 - 80
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	<u>1</u> 3			
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE	_			
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	<u>5</u>		65	
COMPUTER PROGRAM SPECIFY:				

Duplicate columns 1-8 Module C F F from the previous card.	R Format 0 2		H RECONSTRUC FEBS	TION CR-2		
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SECONDARY IMP			
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE		
EVENT NUMBER	13		47			
EBS (km/h) TOTAL	<u>Q</u> 1 3	$\frac{9}{32} \frac{9}{33} \frac{9}{34}$	48 49 50	66 67 68		
LONGITUDINAL*	<u>-</u> @13	999	51 54	69		
LATERAL*	+ 000	9999				
*NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73		
EXAMPLES: 10 km/h = ± <u>Q</u> 1 <u>Q</u> -7 km/h = <u>-</u> <u>Q Q 7</u>						
ENERGY DISSIPATED BY CRUSH (kij)	<u>@</u> <u>@</u> _] <u>J</u>	7 9 9 9	59 62	77		
RECONSTRUCTION						
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	21					
(21) RECONSTRUCTED, LOW	29 30		63 64			
CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE						
CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL						
NOT RECONSTRUCTED BECAUSE						
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE						
(04) ROLLOVER (05) VAULTING						
(06) OTHER TRAVEL IN MORE THAN ONE PLANE						
(07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE						
(09) YIELDING OBJECT (10) OTHER:						
(11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT						
INSPECTED MODE						
(1) CDC ONLY	2					
(2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC	31		65			
(4) TRAJECTORY & CDC & DETAILED DAMAGE		ļ				
(5) NOT RECONSTRUCTED COMPUTER PROGRAM						
SPECIFY: WINSMASH						

Duplicate columns 1-8 from the previous card.

Module C R Format 0 3 11 12

CRASH RECONSTRUCTION

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_1$ TO C $_6$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

CASE VEHICLE


CR-3

LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
	Begins (R) front bumper corner	B.C. to B.C.



DL _____

UDL ____

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other _____
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	ole below is a	separate re	cord (card).	Du	plicate col	lumns 1 - 1	2 for each	complete	d line
Specific Impact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
	Bumper -Freespace	37	6	140	10	4	4	5	9	36	56
	-Free space				-10	-7	-2	-2	-7	-10	
···					0	Φ	2	3	2	26	
1	1	<i>0</i> 37	<i>0</i> 26	140	000	Φ ΦΦ	തമാ	00 3	ወወ2	026	+056
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29		33 34 35	36 37 38		42 43 44 45
2											

Duplicate columns 1-8	
from the previous card.	

Module <u>C</u> <u>R</u> Format <u>0</u> <u>4</u>

CRASH RECONSTRUCTION

CR-4

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_{\rm 1}$ TO C $_{\rm 6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE


LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L





DL _____

UDL

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other _
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	le below is a	separate rec	ord (card).	Du	plicate col	umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.		Damage Max Crush	Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

Duplicate columns 1-8 Module W T from the previous card.	Format (WHEELS AND TIRES WT-1
WHEELSDAMAGED (0) NO (1) YES (9) UNKNOWN	LF RF RR LR	13 <u>Q</u> <u>Q</u> <u>Q</u>	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF $\frac{P}{2}$ 22570R15 RF $\frac{P}{35}$ 22570R15 RR $\frac{P}{45}$ 22570R15 LR $\frac{P}{35}$ 23570R15
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LF RF RR LR	4 7 4 4 4 20	LR 1 0 0 0 1 0 F 1 5
CARCASS CONSTRUCTION (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR LR	3 3 3 3 2	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:		_	

Duplicate columns 1-8 Module F T Format 0 11	1 12	FUEL AND FUEL TANKS	FT-1				
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<u>8</u>				
MAIN TANK LOCATION	322	AUXILIARY TANK LOCATION	<u>8</u> 88				
MAIN FILLER CAP LOCATION	17 19	AUXILIARY FILLER CAP LOCATION	$\frac{888}{25}$				
MAIN TANK MATERIAL	3 20	AUXILIARY TANK MATERIAL	8 28				
TANK AND FILLER CAP LOCATION CODES FIRST DIGIT (LONGITUDINAL) (1) BEHIND KICK-UP (2) IN KICK-UP (3) BETWEEN KICK-UP & COWL (4) FORWARD OF COWL (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN SECOND DIGIT (LATERAL) (1) LEFT OF FRAME (2) WITHIN FRAME OR CENTERED (3) RIGHT OF FRAME (4) DUAL, RIGHT & LEFT TANKS (6) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN THIRD DIGIT (VERTICAL) (1) BELOW FRAME (2) WITHIN FRAME OR CENTERED (3) ABOVE FRAME (6) NOT APPLICABLE (NOT EQUIPPED)							

TANK MATERIAL CODES

- (1) STEEL
 (2) ALUMINUM
 (3) PLASTIC
 (7) OTHER
 (8) NOT APPLICABLE (NOT EQUIPPED)
 (9) UNKNOWN

Duplicate columns 1-8 from the previous card.

Module <u>F</u> <u>L</u> Format <u>0</u> <u>1</u> 12

FUEL LEAKAGE

FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.



	1	П	111	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15			_		21
#2	22 23					29
#3	30 31					37
#4	38 39					45
#5	46 47					53

LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

<u>, , , , , , , , , , , , , , , , , , , </u>			
Duplicate columns 1-8 Module F R Format 0 from the previous card. 9 10 11		FIRE	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP</u> PAC (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE?	
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 Module <u>E</u> <u>D</u> Form from the previous card. 9 10	at <u>0</u> <u>1</u>	EXTERIOR DAMAGE	ED-1
HOOD PERFORMANCE		STEERING COL FLEXIBLE COUPLING	
FOR THE FOLLOWING, USE CODES:		FLEXIBLE COUPLING TYPE	
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE	9 26
HOOD LATCH <i>(ES)</i> RELEASE	ED 13	(CIRCLE EACH) (7) OTHER: (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED	
-DAMAGE			
-JAMMED	15	COUPLINGDAMAGED (USE CODES FROM HOOD PERFORMANCE) -SEPARATED (COMPLETE)	
HOOD HINGESLEFT, DAMAGED		(COMPLETE)	28
-LEFT, SEPARATE (COMPLET			
-RIGHT, DAMAGED	18	ENG COMPART TELESCOPING UNIT	
-RIGHT, SEPARATE (COMPLET) HOOD REMAINED ON VEHICLE		TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED (97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	8 8 30
REAR EDGE OF HOODELEVATED	— 1	ORIGINAL LENGTH (mm)	
-CONTACTED WINDSHIELD	$ \begin{bmatrix} \frac{21}{8} \\ \frac{1}{8} \end{bmatrix} $	F (OR H):	
-PENETRATED WINDSHIELD	8 23	TELESCOPED LENGTH (mm) G:	
HOOD LATCH LOCATION			
(1) FRONT OF VEHICLE(2) COWL AREA(3) SIDE(8) NOT APPLICABLE(9) UNKNOWN	24	DIFFERENCE (mm) F (OR H) - G (IF LESS THAN 15mm, ENTER *000*.)	
ENGINE OR TRANSMISSION MOUNT SEPARATION (COMPLETE) (0) NO (1) YES (9) UNKNOWN	<u>Ø</u>	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 31 33


		EXTERIOR DAMAGE	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN	
-A-PILLAR, UPPER LOWER	Ø 35 Ø 36	(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN -FRONT	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
-B-PILLAR, UPPER	\mathcal{Q}_{37} \mathcal{Q}_{38}	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR)	
-C-PILLAR, UPPER LOWER	\$\frac{4}{40}\$	(9) UNKNOWN	₩ 45 8 46
-D-PILLAR, UPPER LOWER	₹ ¥ ¥ ¥ ¥ ¥ ¥ ¥ ¥ ¥		
,			

			ST AVAILA
		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE		WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION?	σ
 (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING 	47	(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	50
TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN		SPARE TIRE	0
Hatchback		(0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION	51
One-way		(8) NOT COLLECTED (9) UNKNOWN	
Two-way or or		TRAILER HITCH TYPE (0) NO HITCH	7
Clamshell		BALL-AND-SOCKET TYPES	52
Single door		 (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON- 	
Double door		EQUALIZING) (4) LOAD EQUALIZING OTHER TYPES	
HOW DID DOOR OPEN DURING COLLISION?		(5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL. P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
(0) DOOR DID NOT OPEN OPENED BECAUSE OF .	8 48	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED	
(1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE		TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER	Ø
(CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR)		(2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR	53
(9) UNKNOWN DOOR JAMMED CLOSED		(7) OTHER:	
(0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	8/49		

		Exterior Damage E	D-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<i>Q</i> 54	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	O 55	(98) NOT APPLICABLE (NO DOOR) (99) UNKNOWN -FRONT	<u>Ø</u> <u>Ø</u>
LOWER -B-PILLAR, UPPER	£ 56 £ 57	-REAR	$\frac{9}{65} \frac{8}{66}$
LOWER	₽ 58	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES	
-C-PILLAR, UPPER LOWER	\$\frac{8}{59}\$	(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN -FRONT	4
-D-PILLAR, UPPER	60 8 61	-REAR	8 68
LOWER	8 62	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	<u>8</u>

EXTERIOR DAMAGE ED-5 WINDSHIELD DAMAGE WINDSHIELD MARK ON CASE VEHICLE: WINDSHIELD CRACKED **®** CAR LITE ® (0) NO **SOLAR TINT** (1) YES (8) NOT APPLICABLE (9) UNKNOWN LAMINATED AS-1 WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (1) YES (8) NOT APPLICABLE (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE WINDSHIELD CODE (9) UNKNOWN (97) DESCRIBED BUT NOT CODED (98) NOT APPLICABLE (NO WINDSHIELD) **EXTENT OF BOND SEPARATION** (99) UNKNOWN (0) NONE (1) 1 - 20% Roof (2) 21 - 40 (3) 41 - 60 DID T-ROOF/SUN ROOF OPEN DURING COLLISION? (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT (1) YES UNKNOWN (8) NOT APPLICABLE (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN (9) UNKNOWN

LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM <u>INSIDE</u>.



Duplicate columns 1-8 Module S C Format from the previous card.	0 1	STEERING WHEEL AND COLUMN	SC-1
Steering Wheel		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	Q	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1 2 O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4	(NORMAL STRAIGHT AHEAD) O'CLOCK - 12	iven
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	15	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70-74 CHALLENGER, 70-74 CAPRI, 71-77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	4 16	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u></u>	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	18	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 20


	_	STEERING WHEEL AND COLUMN SC-2
STEERING COLUMN		STEERING WHEEL (CONTINUED)
ENERGY ABSORBING DEVICE		O LEE (MINDED)
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	$\frac{8}{23} \frac{8}{2}$	(1) OCCUPANT CONTACT (2) AIRBAG
ORIGINAL LENGTH (mm)		(3) OTHER(9) UNKNOWN
C:		
COMPRESSED LENGTH (mm)		
D:		
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)		
COMPRESSION (OR EXTRUSION) (mm)		
C - D (OR E) (TOLERANCE: ±10)		
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27	
* (ADD A & B FOR TOTAL COMPRESSION)		
SHEAR CAPSULE SEPARATION (mm)		
S (USE AVG. OF LEFT & RIGHT CAPSULES.)		
LT:		
RT:		-
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 30	
COLUMN VERTICAL ROTATION		
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	Q	
COLUMN LATERAL ROTATION		
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	<u>Q</u>	

1 = Definitely 2 = Probably 3 = Possible

		···				Intrus	SION IT-1
Location of Intrusion	Intruded Component	Comparison	asure	ments Are in C	entime		Dominant Crush
muasion	Intruded Component	Value		Value		Intrusion	Direction
					=		
					=		
					=		
	None Apparent				=		
			_		=		
					=		
			_		=		
			_		_=_		
					=		
					=		
					=		
			_	·	_=_		
					=		

OCCUPANT CONTACT WORKSHEET

	Interior	Occupant	Body		Confidence Level of
	Component	No. if	Region		Contact
Contact	Contacted	Known	if Known	Supporting Physical Evidence	Point
А	Rearview mirror	1	Head	Broken off w/hair deposit	1
В	Knee bolster	1	Knee	Scuff mark	2
С					
D					
E					
F					
G					
Н					
1					



INTRUSION IT-3

CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT


THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.

(1)	LEFT	(3) RIGHT	INDIVIDUAL SEAT	
(1)	LEFT	(2) CENTER	3) RIGHT BENCH: FULL WIDTH 3 PASSEN	GER
(1)	LEFT	(2) LEFT CENTER	6) RIGHT (3) RIGHT BENCH: FULL WIDTH 4 PASSEN	GER
(1)	LEFT	(2) CENTER	5) RIGHT & BENCH: PARTIAL WIDTH, LEFT AISLE SPACE	
	LEFT & SPACE	(2) CENTER	5) RIGHT & BENCH: PARTIAL WIDTH, CENTE SPACE	RED
(4)	ENTIRE V	EHICLE WIDTH		


EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS



VAN 12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

INTRUSION IT-4

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF <u>ALL</u> THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50)WINDSHIELD HEADER A-PILLAR
 - ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL A-PILLAR

WINDSHIELD HEADER

- (53)DOOR PANEL B-PILLAR ROOF RAIL
- (54)DOOR PANEL A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR DOOR FRAME
- (56)ROOF RAIL A-PILLAR B-PILLAR WINDOW FRAME
- (57)ROOF RAIL A-PILLAR B-PILLAR C-PILLAR DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF C-PILLAR THIRD SEAT-BACK

- (60)ROOF
 ROOF RAIL
 A-PILLAR
 B-PILLAR
 C-PILLAR
 WINDOW FRAME
 DOOR PANEL
 FLOOR PAN
- (61)INSTRUMENT PANEL TOE PAN WINDSHIELD HEADER A-PILLAR ROOF RAIL WINDOW FRAME DOOR PANEL ROOF
- (62)ROOF
 ROOF RAIL
 C-PILLAR
 WINDOW FRAME
 FLOOR PAN
 SECOND SEAT
 DOOR PANEL
- (63)ROOF RAIL
 ROOF
 B-PILLAR
 WINDOW FRAME
 FLOOR PAN
 DOOR PANEL
 SECOND SEAT
 FRONT SEAT
- (64)ROOF RAIL
 ROOF OR CONVERTIBLE TOP
 A-PILLAR
 B-PILLAR
 WINDOW FRAME
 WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 Modul from the previous card.	e <u>l T</u> Format <u>0</u> <u>1</u> 9 10 11 12	Inl	TRUSION IT-5									
WAS THERE OCCUPANT COMPARTMENT INTRUSION? (0) NO <u>DO NOT</u> ANSWER NEXT QUESTION. <u>SKIP PAGE</u> . (1) YES <u>ANSWER</u> NEXT QUESTION. (9) UNKNOWN <u>SKIP PAGE</u> . (1) YES <u>SKIP PAGE</u> . (1) YES <u>SKIP PAGE</u> .												
Duplicate columns 1-8 Module 1 T Format 0 2 from the previous card. NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.												
NTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY												
A B C INTRUDING INTRUSION OCC. COMPONENT NUMBER SPACE NO. OR OBJECT	D E F G ASSOC. MAXIMUM MAXIMUM MAXIMUM EVENT INTRUSION INTRUSION NO. X AXIS (cm) Y AXIS (cm) Z AXIS (cm)		J K OCCUPANT INJURY NUMBER NUMBER									
13-14 15-16 17-18	19 20-21 22-23 24-25	26-27 28-29	30-31 32-33									
01												
0 2												
04												
0 5												
06												
0 7 NOTE: USE ADDITIONAL PAGE IF MORE TO	HAN 7 INTRUSIONS.											
Duplicate columns 1-8 Module from the previous card.	I T Format 0 3 9 10 11 12											
NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM INTRUSION INT												
CAUSE	A	29	(0) NONE (1) A-PILLAR (2) B-PILLAR (3) C-PILLAR (4) LATCH/STRIKER (5) HINGES (7) OTHER: (8) NOT APPLICABLE									
	34 35	37	(9) UNKNOWN									

Duplicate columns 1-8 from the previous card.

Module | T Format 0 2 11 12

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

-- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

A B C D E F G H I J INTRUDING ASSOC. MAXIMUM	K INJURY NUMBER 32-33
NUMBER SPACE NO. OR OBJECT NO. X AXIS (cm) Y AXIS (cm) Z AXIS (cm) NUMBER NUMBER NUMBER 13-14 15-16 17-18 19 20-21 22-23 24-25 26-27 28-29 30-31 0 8	NUMBER
0 8	32-33
1 0	
11	
12	
	
13	
14	
1 5	
16	
17	
18	
19	
20	
21	
22	
23	
2 4	
2 5	1

Duplicate columns 1-8 from the previous card.	Modu	le <u>I</u> <u>D</u> 9 10	Format <u>0</u> <u>1</u>	ln	TERIOR DAMAGE [[D-1
co	(1) NO I) YES B) NO, and	OCCUPANT CONTACT	(4) YES, and ((8) NOT APPL (9) UNKNOWN	OCCUPANT CONTACT ICABLE	
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE T-ROOF/SUN ROOF			FRONT FOOT CONTROLS IGNITION KEYS REAR VIEW MIRROR SUNVISOR/FITTINGS (5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES WINDSHIELD TOP MOLDINGS LEFT A-PILLAR (UPPER OR LOWER) RIGHT A-PILLAR (UPPER OR LOWER) CENTER CONSOLE TRANSMISSION SELECTOR LEVER RIM, HORN, SPOKE	(A) 4 (A) 4 (A) 4 (A) 4 (A) 5	INSTRUMENT PANEL UPPER PANEL MID PANEL LOWER PANEL ASHTRAY CONTROL KNOBS & LEVERS GLOVE COMPARTMENT AREA INSTRUMENTS PARKING BRAKE RELEASE PARKING BRAKE PEDAL A/C OR UPPER VENT OUTLETS HEATER OR A/C DUCTS RADIO OTHER: *	
OTHER: *	43	\$\frac{42}{5}\$			REAR WINDOW WINDOW HEADER	
					CONSOLES VERTICAL ROOF	₽ 70 80 71

^{*} MORE THAN ONE ITEM MAY BE NOTED.


				DEG! HY	AILABLE
Duplicate columns 1-8 from the previous card. Module S T 10		<u>2</u> 1 12	SEATS	,	ST-1
FRONT SEAT TYPE OF FRONT SEAT (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE	DRIVER 0 5 13 14	PASSENT 5 16	FRONT SEAT-BACK	DRIVER 3	PASSEN'R
(09) INDIV. BENCH, PASS. WIDE (97) OTHER: (99) UNKNOWN TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	19	20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21	22	RECLINER MECHANISM HELD (0) NO		
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>4</u>	<u>24</u>	(1) YES (8) NOT APPLICABLE (9) UNKNOWN	36	37
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	25	<u>D</u> 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	38	<u>2</u>
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	27)	(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8	8
FRONT SEAT ROTATION (0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT	<u></u>	<u>Ses</u>	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN HEAD RESTRAINT DAMAGE (0) NONE	42	43
(3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN			(1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	44	45

			Si	EATS	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSEN'R	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN ADJUSTMENT PROVIDED (1) 2-WAY	1 46 2 48	<u>-</u> م	CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	-	<u>2</u>
(2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	49	SECOND SEAT-BACK LOCKS	LEFT	Rіgнт
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	50	51	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN LEFT OR CENTER, EQUIPPED	8	8
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	8 52	8 53	LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED	S S S S S S S S S S	
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	3 54	2 55	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	65 67	<u>&</u>
SECOND SEAT TYPE OF SECOND SEAT	LEFT	Right	EQUIPPED	©	<u></u>
(0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT	<u>Ø</u> 56	<u></u>	BACKREST DAMAGED CUSHION DAMAGED	71 8 73	8 72 8 74
(5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	8 58	8 59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	7:	D


Duplicate columns 1-8 from the previous card. Module A B Format 0	1 12	AIRBAG	AB-1	
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	16	
DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	17	
CONDITION OF AIRBAG STEERING WHEEL (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE INDT EQUIPPED OR CONDITION	<u></u>	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED/NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	4	
DRIVER SIDE AIRBAG STEERING WHEEL TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	19	PASSENGER SIDE AIRBAG INSTRUMENT PANEL (GLOVE BOX) TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	<u>Q</u>	
MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>Q</u>	MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u></u>	

AIRBAG AB-2

AIRBAG NUMBER ON DRIVER SIDE:



AIRBAG NUMBER ON PASSENGER SIDE:



NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 from the previous card. Module O C Format 0 11		Occupant Information	OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	<u>Q</u> <u>1</u> 13 14 <u>1</u> 15	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	$\frac{35}{20}$ $\frac{25}{22}$
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	MASS (kg) (999) UNKNOWN HEIGHT (cm) (999) UNKNOWN SEX (1) MALE (2) FEMALE (9) UNKNOWN	$ \underbrace{\frac{7}{24} \frac{7}{25} \frac{5}{2}}_{24} $ $ \underbrace{\frac{1}{27} \frac{7}{28} \frac{7}{2}}_{30} $
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN POSTURE (10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN	17	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD WITHIN 27 HOURS (09) FATAL, DEAD WITHIN UNKNOWN PERIOD (10) FATAL DEAD WITHIN UNKNOWN PERIOD (11) YEAR LATER (12) FATAL DEAD WITHIN UNKNOWN PERIOD (13) UNKNOWN NON-IMPACT MED. CONDITIONS (14) PRECRASH FATAL (CLINICAL DEATH AT WHEEL) (15) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (16) POST-CRASH FATAL (DROWNING) (17) OTHER: (18) COMBINATION OF ABOVE (CIRCLE EACH) (19) UNKNOWN	$ \underbrace{\mathcal{O}}_{31} \underbrace{\mathcal{J}}_{32} $ $ \underbrace{\mathcal{J}}_{33} \underbrace{\mathcal{J}}_{34} $


		Occupant Information	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	<u>A</u> 36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	8 8 41
ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG NOT DEPLOYED (3) AIRBAG NOT DEPLOYED (4) PASSIVE UPPER TORSO USED (5) PASSIVE UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	3 37 D 39 2 40	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, RIGHT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, RIGHT SIDE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW: HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	43 9 44 45

		Occupant Information	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	47	SOURCE OF INFORMATION (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	7 48

OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.





Duplicate columns 1-8 from the previous card.

Module <u>I</u> <u>C</u> Format <u>0</u> <u>1</u> 12

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.


OCCUPANT INJURY CLASSIFICATION

		INJUH		PRIM	IARY	OIC		A	ssoc	IATE	D OIC		COMMENTS		
OCCUPANT NUMBER	INJURY NUMBER	PROBAL START I IN 1ST C	BILITY (HOF WITH MOST CONTACT A	IN ORDER OF RIZONTALLY) . PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT N	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
Q!	<u>OI</u>	06			H	R	L	I	1	_	_				
1	@2	<u>Q6</u>			H	R	<u>L</u>	I	1	_					
	03	06			F	5	A	Ī	1						
	04				B					-	_			_	
		1-				_	·	_	_	_	_	-			
					-	_			_		_		***************************************	_	
					_		_	_	·		_				
					—	_	_			_		_	_		
di di					_				_	_	_	—	_	_	
e "Occupant Number" for each line.					_			_			_	_			
ber" for										_					
ant Num															
Occupa								-	-	_	_		_		
Duplicate '					_			_	-			_	_	-	
ρ̄ 							_	_	-	_	_			-	
									-	_				-	
						_		_	_	_	_			_	
									_	_	_			_	
						_		_		_			_		
					_	_					_		_		
NOTE:	USE ADDIT	TONAL PAG	ES IF NECE	ESSARY.											

Injury Classification IC-2

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

	CODES FOR AREAS OF POS	SIBLE OCCUPAN	T CONTACT
FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10) SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
) WINDSHIELD	(19)	
V	, ·····-	(13)	
(05)) INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)		- · · - • · · ·
(54)	•	(24)	COAT HOOK
	•		
(55)	, , ,	(22)	
(56)	• • • • • • • • • • • • • • • • • • • •	(21)	WINDOW FRAMES (SIDE)
(81)			
(02)		(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
		(15)	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL	(16)	C-PILLAR
(53)	PARCEL TRAY	(17)	
(48)	KNEE RESTRAINT	()	
(86)	VERTICAL CONSOLE	FLOOR	
, ,		(40)	FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)		
(20)	TOOL GOTT TODO (MICE T ANIMATE T EDAL)	(27)	
(00)	CTEEDING ACCEMBLY (CRECIEIC AREA UNICHOUSE	(44)	
(09)		(85)	
(65)		(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)		(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN		
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	
(83)		(26)	
(84)		, ,	
(67)	IGNITION KEY	(24)	
		• • •	DOME LIGHT
(06)			BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(80)	RADIO (BUILT IN)		
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	R SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES		OUTSIDE SURFACE OF CASE VEHICLE
		(0.)	(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	• •	
	REAR WINDOW	(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)			OUTSIDE MIRRORS, ANTENNA, TRIM)
, ,	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
1	- 0	(64)	TIRES OF CASE VEHICLE
Interior-General			
	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN	(36)	AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT	(,	OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(72)	
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(73) (74)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(20)	TOOL OOM THOSE (IN OLD THE WARE FEDAL)		HEADLIGHT OR FRONT GRILL OF OTHER VEH.
(29)	FRONT SEAT-BACK(S)	(75)	TRUNK OF OTHER VEHICLE
	, ,	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
		` '	OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE		
(34)	RESTRAINT SYSTEM WEBBING	PENETRA	TING OBJECTS
(87)	AIR CUSHION SKIN (AIRBAG)		OTHER VEHICLE
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	, ,	
(46)	AIRBAG GAS	(72)	OBJECTS (DESCRIBE)
(48)	KNEE RESTRAINT	Moore	ANEOUS
, ,		MISCELL	
(30)	HEAD RESTRAINT		NO CONTACT (INVALID FIELD FORM CODE)
(42)	CHILD SEAT RESTRAINTS	(38)	OTHER (E.G. FIRE. DESCRIBE)
(43)	CHILD SEAT	(90)	SPARE TIRE
(31)	INTERIOR LOOSE OBJECT	(96)	INDUCED
(32)	OTHER OCCUPANT(S)	• •	EJECTED, UNKNOWN CONTACT
(52)	INTERNAL FLYING GLASS (FROM ANY SOURCE)	· ,	IMPACT FORCE, "WHIPLASH".
(41)	UNKNOWN INTERIOR SURFACE	(-3)	HYPEREXTENSION/COMPRESSION
		(99)	UNKNOWN AREA OF CONTACT
		(33)	CONTRACTOR OF CONTROL



INJURY CLASSIFICATION IC-4

CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SEVERITY 5 SYSTEM/ORGAN 4 LESION 9 ASPECT 0 BODY REGION 1

5 SEVERITY (OR *AIS*, ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN













t Available





est Available



















00#17









Best Availal





































CASE NO 20040

OCCUPANT (Dever) 20-year-old male

STATUTE STREET, NAME WAS PERSONS OF THE STREET, WAS PROPERTY OF THE STREET, WITHOUT COMPANY OF THE STREET, WAS ASSESSED.

Laconadona, Abrasiona, eve multiple, small tonnecad (1) somple (1)





PN 20900 #40